

اليوتاني العربية Arab Potash

IFB NO.: 202500661/AA STIR.IF.CT: TECHNICAL SPECIFICATIONS FOR RADIAL

BIDDER)		
(THIS COLUMN MUST BE FILLED BY		
SPECIFICATION TO BE INDICATED	APC SPECIFICATION	N S
DEVIATION FROM APC		ITEM
BIDDER CONFIRMATION OR		

=	D 1.0	SCOPE OF SUPPLY:
		1. BIDDERS ARE INVITED TO SUBMIT THEIR COMPLETE PROPOSAL IN ACCORDANCE WITH APC GENERAL TENDERING CONDITIONS ATTACHED TO THE SPECIFICATION SHEETS. THESE SHEETS ARE THE PRIMARY DOCUMENTS THAT ALL BIDDERS MUST COMPLETE ACCURATELY.
		BIDDERS MUST NOTIFY & CONFORM TO EACH POINT MENTIONED IN THE SPECIFICATIONS (ITEM-WISE) AND CLEARLY INDICATE ANY DEVIATIONS. EACH PAGE OF THIS SPECIFICATION SHEET MUST BE SIGNED AND STAMPED BY THE BIDDER.
		MANUFACTURER'S SPECIFICATION SHEETS ALONE WILL NOT BE ACCEPTABLE. ANY DEVIATION FROM THESE SPECIFICATIONS MUST BE EXPLICITLY NOTED.
		2. THIS SPECIFICATION OUTLINES THE REQUIERMENTS OF THE ARAB POTASH COMPANY (APC) FOR THE SUPPLY OF 2000 RADIAL TUBELESS TIRES. BIDDER'S PROPOSALS MUST ADHERE TO THE BID SPECIFICATIONS AS SET FORTH.
		3. THE TIRES WILL BE USED AT THE APC PLANT SAFI SITE FOR SEMI-TRAILERS THAT TRANSPORT POTASH PRODUCTS FROM THE SAFI SITE TO AQABA PORT.
		4. THE OFFERED TIRES MUST BE NEW AND OF THE CURRENT STANDARD PRODUCTION MODEL
	2.0	GENERAL REQUIREMENTS:
		1. BIDDERS MUST COMPLETE THIS FORM WITH EITHER "COMPLY" OR "DEVIATION WITH EXPLANATION" FOR EVERY POINT, AND ENSURE IT IS SIGNED AND STAMPED.

GAR.Tires_Spec.TQ.2025.02.24





IFB NO.: 202500661/AA

SUBJECT: TECHNICAL SPECIFICATIONS FOR RADIAL TUBELESS TIRES, (QTY: 2000)

	NO.	NO I	TEM		
		APC SPECIFICATION			
BIDDER)	(THIS COLUMN MUST BE FILLED BY	SPECIFICATION TO BE INDICATED	DEVIATION FROM APC	BIDDER CONFIRMATION OR	

										3.0	
10. EU TIRE LABELING:	9. TREAD PATTERN: TO BE SPECIFIED BY THE BIDDER.	8. APPLICATION: ON-ROAD FOR SEMI-TRAILERS (MENCI & YUKSEL)	7. LOAD INDEX AND SPEED SYMBOL: 164K (10 TON PER AXLE).	6. LOAD RANGE / PLY RATING: L / 20PR	5. CONSTRUCTION: RADIAL, ALL-STEEL CORDS.	4. QUANTITY: 2000 TIRES	3. TIRE TYPE: TUBELESS	2. TIRE SIZE: 385/65 R22.5	1. THE MANUFACTURER, BRAND NAME, MODEL, AND COUNTRY OF ORIGIN MUST BE CLEARLY SPECIFIED.	TIRES SPECIFICATIONS:	2. BIDDERS MUST SUBMIT TECHNICAL DATA SHEETS AND CATALOGUES ALONG WITH THEIR OFFERS.

GAR.Tires_Spec.TQ.2025.02.24

10.1

FUEL EFFICIENCY AND ROLLING RESISTANCE MUST MEET OR EXCEED C-CLASS (TO BE SPECIFIED IN LETTER FROM "A" TO "G" CLASSES).





اليوناس العربية Arab Potash

IFB NO.: 202500661/AA

SUBJECT: TECHNICAL SPECIFICATIONS FOR RADIAL TUBELESS TIRES, (OTY: 2000)

		N	ITEM		000000
		APC SPECIFICATION			CONCENTRATE OF MOST POST POST POST POST POST POST POST P
BIDDER)	(THIS COLUMN MUST BE FILLED BY	SPECIFICATION TO BE INDICATED	DEVIATION FROM APC	BIDDER CONFIRMATION OR	1000

R FRIISSII, 2 O
SPECIFIED IN LETTER FROM "A" TO "G" CLASSES). 10.3 EXTERIOR NOISE EMISSION MUST NOT EXCEED 72 dB (TO BE SPECIFIED IN DECIBELS ACCOMPANIED BY 1, 2 OR 3 SOUND WAVES. 11. PRODUCTION DATE: WITHIN WEEK 1 TO WEEK 28 OF THE YEAR 2025 OR LATER. ES ACCESSORIES:
2

GAR.Tires_Spec.TQ.2025.02.24

6.0

WARRANTY:

ALTERNATIVE DELIVERY SCHEDULES MUST BE CLEARLY INDICATED.

THE SUPPLIER WARRANTS THAT THE TIRES SUPPLLIED ARE FREE FROM ANY DEFECTS AND ARE OF PROPER MATERIAL AND CONSTRUCTION TO SATISFACTORILY FULFILL THE PURCHASER'S REQUIREMENTS.





البوتاس العبيية Arab Potash

IFB NO.: 202500661/AA SUBJECT: TECHNICAL SPECIFICATIONS FOR RADIAL TUBELESS TIRES, (QTY: 2000)

		NO !	METEM		
		APC SPECIFICATION			CONTRACTOR OF TOTAL CONTRACTOR OF THE PROPERTY
BIDDER)	(THIS COLUMN MUST BE FILLED BY	SPECIFICATION TO BE INDICATED	DEVIATION FROM APC	BIDDER CONFIRMATION OR	1000

			8.0			7.0		
4. COUNTRY OF ORIGIN: 10 POINTS	TIRES PERFORMANCE	1. EXTENDED WARRANTY (BEYOND 160,000 KM): 15 POINTS	EVALUATION CRITERIA:	2. A COPY OF A VALID DEALER AUTHORIZATION MUST BE SUBMITTED WITH THE TECHNICAL BID.	1. THE BIDDER MUST BE AN AUTHORIZED LOCAL AGENT FOR THE OFFERED BRAND IN JORDAN, CAPABLE OF PROVIDING WARRANTY AND AFTER-SALES SERVICES. APC RESERVES THE RIGHT TO REJECT BIDS FROM TRADERS OR STOCKISTS WHO ARE NOT AUTHORIZED DEALERS OF THE OFFERED BRAND.	QUALIFICATION REQUIREMENTS:	3. SHOULD ANY DEFECT BE FOUND DURING THE WARRANTY PERIOD, THE SUPPLIER AGREES TO REPLACE THE DEFECTIVE TIRES FREE OF CHARGE, DDP APC SAFI SITE WITHIN AN AGREEABLE TIME FRAME.	2. A MINIMUM WARRANTY PERIOD OF 160,000 KM IS REQUIRED. TO BE SPECIFIED BY THE BIDDER.

GAR.Tires_Spec.TQ.2025.02.24

AFTER-SALES SERVICES: 15 POINTS





IFB NO.: 202500661/AA SUBJECT: TECHNICAL SPECIFICATIONS FOR RADIAL TUBELESS TIRES, (QTY: 2000)

		NO	ITEM		
		APC SPECIFICATION			
BIDDER)	(THIS COLUMN MUST BE FILLED BY	SPECIFICATION TO BE INDICATED	DEVIATION FROM APC	BIDDER CONFIRMATION OR	

	• M	∨ 6040	• E\	8. TR	7. DI	6. Al
END OF SPECIFICATIONS	MINIMUM PASSING SCORE: 70%	60% TECHNICAL 40% FINANCIAL	EVLAUATION WEIGHT:	TREAD PATTERN & RATINGS: 10 POINTS	DELIVERY TIME: 10 POINTS	6. APC EXPERIENCE: 20 POINTS

GAR.Tires_Spec.TQ.2025.02.24

